



10641 HIGHWAY 36  
COVINGTON, GEORGIA  
30014  
t 770.786.3031  
f 770.786.3046

---

## Newton County Water & Sewage Authority - Addition

### Division 6 - Woods & Plastics

---

#### **Rough Carpentry**

|                                       |               |
|---------------------------------------|---------------|
| Kimmel Construction Inc. (Labor Only) | \$63,200.00   |
| Still Lumber (Material)               | \$12,432.47   |
| RS Wilson (Turn Key)                  | <i>No Bid</i> |

#### **Architectural Wood Casework**

|                  |               |
|------------------|---------------|
| DCourts Cabinets | \$78,919.50   |
| Eddie Shirey     | \$87,467.00   |
| US Cabinetworks  | <i>No Bid</i> |

#### **Wood Trusses**

|                 |               |
|-----------------|---------------|
| Brand Vaughn    | \$9,557.24    |
| Mid South Truss | <i>No Bid</i> |

# Kimmel Construction, Inc.

281 Tudor Ct., Jonesboro, Ga. 30238

Ph.(678)479-5593/Fax(678)479-5593/Cell(678)898-9381

Proposal

Date: 6-16-26

|                      |                     |
|----------------------|---------------------|
| To: Sunbelt Builders | Phone: 770-786-3031 |
| Attn: Garnett Long   | Fax: 770-786-3046   |

Project: Newton County Water Authority

Per plans, specs, and addendums

Date of plans: N/A

Work Scope:

Amount

|                                                                                                                                                          |             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Wood Framing: Install wood walls, sheathing, trusses, roof decking and Simpson hardware                                                                  | \$34,000.00 |
| Install framing and plywood for the gutter and PT blocking at existing trusses                                                                           | \$8,000.00  |
| Siding/Cornice: Install siding at new gable along with box beams and relocate columns. <b>(Not responsible for columns if they break in dismantling)</b> | \$4,200.00  |
| Interior: 2 wooden ramp framing                                                                                                                          | \$1,500.00  |
| Window trim: Includes window trim and 2x6 slat wall                                                                                                      | \$15,500.00 |
| Exclusions: Plywood on metal framing, metal soffit                                                                                                       |             |
| Labor and heavy lifting equipment supplied                                                                                                               |             |
|                                                                                                                                                          | \$63,200.00 |

All work is to be guaranteed as specified and performed according with the drawings and specifications submitted for above work and completed in a substantial workman like manner. Any alterations or deviations from the above specifications involving extra cost will be executed only upon written order, and will become an extra charge over and above the estimates.

WE APPRECIATE YOUR BUSINESS

# NEWTON CO. WATER SEWER 100% PLAN Sunbelt Bldgs

|                                                    |                                        |
|----------------------------------------------------|----------------------------------------|
| 14- 2X6-16T                                        | 10- 2X10-16 <sup>12</sup> False facade |
| 5- 2X4-16T                                         | 13- 2X12-16 <sup>12</sup> Rump         |
| 105- 2X6-12 <sup>12</sup> stud                     | 6- 3/4x10x Rump.                       |
| 64- 2X4-12 <sup>12</sup> "                         | Cornice/Siding                         |
| 28- 2X6-16 <sup>12</sup>                           | 14- 1X12-12 Handie                     |
| 33- 2X6-10 <sup>12</sup>                           | 14- 1X6-12 "                           |
| 80- 2X4-16 <sup>12</sup>                           | 20- 24"X8' Soffit                      |
| 20- 2X4-12 <sup>12</sup>                           | 20- 2X4-16 <sup>12</sup>               |
| 3- 2X8-12 <sup>12</sup>                            | 4- 8'4X12 Hardie lap.                  |
| 3- 2X8-8 <sup>12</sup>                             | 3- 1X12-12 H. Beam                     |
| 10- 2X10-8 <sup>12</sup>                           | 3- 1X12-12 " "                         |
| 2- 2X10-10 <sup>12</sup>                           | 5- 1X6-12 " "                          |
| 4- 2X10-12 <sup>12</sup>                           | 3- 4X8 smooth Handie                   |
| 3- 2X10-16 <sup>12</sup>                           |                                        |
| 2- 6X6-12T                                         |                                        |
| 2- 6X6-10T                                         |                                        |
| 36- 11/8 LVL 3/12                                  |                                        |
| 42- 22 LVL 3/14                                    |                                        |
| 66- 9'4 LVL 3/22                                   |                                        |
| 43- 1/2 osh <sup>Small</sup> 1st fl.               |                                        |
| 83- 5/8 osh                                        |                                        |
| 12- 2X4-16 <sup>12</sup> <sup>Hidden</sup> gutters |                                        |
| 8- 3/4x10x "                                       |                                        |
| 37- 2X6-16 <sup>12</sup> Roof block                |                                        |
| 50- 5/8 osh, parapet                               |                                        |



**STILL LUMBER COMPANY, INC.**  
1515 Old Covington Rd NE  
Conyers, GA 30013 • 770-483-8022  
[www.stilllumber.com](http://www.stilllumber.com)

# Estimate

**504100**

**Estimate No**  
**Estimate Date** 06/11/2026  
**Expiration Date** 06/11/2026  
**Customer** 085000  
**Contact Name**  
**Contact Number**  
**Job**  
**Customer Ref** Newton County Water Sewer  
**Delivery** By 06/11/2026  
**Taken By** Caleb  
**Sales Rep** Joe

**Invoice Address**  
Sunbelt Builders Inc  
10641 HIGHWAY 36  
COVINGTON, GA, 30014-4073

**Delivery Address**  
Sunbelt Builders Inc  
10641 HIGHWAY 36  
COVINGTON, GA, 30014-4073



Page 1 of 3

| Special Instructions | Notes |
|----------------------|-------|
|                      |       |

| Line | Product Code | Description                                                                                                                                                                 | Qty/Footage | Price | Per | Total    |
|------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------|-----|----------|
|      |              | <b>NO RETURNS ON SPECIAL ORDERS</b><br><b>ALL RETURNS ARE SUBJECT TO APPROVAL</b><br><b>UPON INSPECTION</b><br><b>ALL RETURNS MAY BE SUBJECT TO A RESTOCK</b><br><b>FEE</b> |             |       |     |          |
| 1    |              | <b>Framing</b>                                                                                                                                                              |             |       |     |          |
| 2    | 2616TR2      | 2X6-16' #2 PRIME GRADE TREATED - ABOVE<br>GROUND<br>14/16                                                                                                                   | 14 EA       | 15.16 | EA  | 212.24   |
| 3    | 2416T        | 2X4-16' #2 PRIME TREATED - ABOVE GROUND<br>5/16                                                                                                                             | 5 EA        | 11.01 | EA  | 55.05    |
| 4    | 2612WWP      | 2X6-12' PREMIUM SPF<br>105/12                                                                                                                                               | 105 EA      | 11.35 | EA  | 1,191.75 |
| 5    | 2412WWP      | 2X4-12' PREMIUM SPF<br>64/12                                                                                                                                                | 64 EA       | 6.53  | EA  | 417.92   |
| 6    | 2616WWP      | 2X6-16' PREMIUM SPF<br>28/16                                                                                                                                                | 28 EA       | 15.03 | EA  | 420.84   |
| 7    | 2610WWP      | 2X6-10' PREMIUM SPF<br>33/10                                                                                                                                                | 33 EA       | 9.90  | EA  | 326.70   |
| 8    | 2416WWP      | 2X4-16' PREMIUM SPF<br>80/16                                                                                                                                                | 80 EA       | 9.70  | EA  | 776.00   |
| 9    | 2412WWP      | 2X4-12' PREMIUM SPF<br>20/12                                                                                                                                                | 20 EA       | 6.53  | EA  | 130.60   |
| 10   | 2812SYP      | 2x8-12' #2 SYP<br>3/12                                                                                                                                                      | 3 EA        | 11.58 | EA  | 34.74    |
| 11   | 2810SYP      | 2X8-10' SYP #2 BTR<br>3/10                                                                                                                                                  | 3 EA        | 9.65  | EA  | 28.95    |
| 12   | 21016SYP     | 2x10-16' SYP #2 BTR<br>5/16                                                                                                                                                 | 5 EA        | 19.98 | EA  | 99.90    |
| 13   | 21012SYP     | 2x10-12' #2 SYP<br>4/12                                                                                                                                                     | 4 EA        | 14.99 | EA  | 59.96    |
| 14   | 6612TR1      | 6x6 12' #1 SYP .23 MCA TREATED - GROUND<br>CONTACT<br>2/12                                                                                                                  | 2 EA        | 42.65 | EA  | 85.30    |
| 15   | 6610TR1      | 6x6-10' #1 SYP .23 MCA TREATED - GROUND<br>CONTACT                                                                                                                          | 2 EA        | 35.96 | EA  | 71.92    |



STILL LUMBER COMPANY, INC.

1515 Old Covington Rd NE  
Conyers, GA 30013 • 770-483-8022  
www.stilllumber.com

Estimate

504100

Estimate No  
Estimate Date  
Expiration Date  
Customer  
Contact Name  
Contact Number  
Job  
Customer Ref  
Delivery  
Taken By  
Sales Rep

06/11/2026  
06/11/2026  
085000  
  
Newton County Water Sewer  
By 06/11/2026  
Caleb  
Joe

Invoice Address  
Sunbelt Builders Inc  
10641 HIGHWAY 36  
COVINGTON, GA, 30014-4073

Delivery Address  
Sunbelt Builders Inc  
10641 HIGHWAY 36  
COVINGTON, GA, 30014-4073



Page 2 of 3

| Line | Product Code | Description                                   | Qty/Footage | Price | Per | Total    |
|------|--------------|-----------------------------------------------|-------------|-------|-----|----------|
| 16   | 11ML         | 2/10<br>LFT 11 7/8" LVL BEAM                  | 36 LF       | 7.37  | LF  | 265.32   |
| 17   | LVL24        | 3/12<br>LFT 24" LVL                           | 6 EA        | 16.47 | EA  | 98.82    |
| 18   | 9ML          | LFT 9 1/2" LVL BEAM                           | 72 LF       | 5.98  | LF  | 430.56   |
| 19   |              | 3/24<br><b>End of Framing</b>                 |             |       |     | 4,706.57 |
| 20   |              | <b>Roof &amp; Walls</b>                       |             |       |     |          |
| 21   | 48716OSB     | 4x8-7/16" OSB SHEATHING                       | 43 EA       | 10.02 | EA  | 430.86   |
| 22   | 4858OSB      | 4x8-5/8" (19/32) OSB SHEATHING                | 83 EA       | 15.65 | EA  | 1,298.95 |
| 23   | 2416WWP      | 2X4-16' PREMIUM SPF                           | 12 EA       | 9.70  | EA  | 116.40   |
| 24   | 4834CDX      | 12/16<br>23/32-4x8 CDX PLYWOOD SYP            | 8 EA        | 40.41 | EA  | 323.28   |
| 25   | 2616TR2      | 2X6-16' #2 PRIME GRADE TREATED - ABOVE GROUND | 37 EA       | 15.16 | EA  | 560.92   |
| 26   | 4858OSB      | 37/16<br>4x8-5/8" (19/32) OSB SHEATHING       | 50 EA       | 15.65 | EA  | 782.50   |
| 27   | 21016SYP     | 2x10-16' SYP #2 BTR                           | 10 EA       | 19.98 | EA  | 199.80   |
| 28   | 21216SYP     | 10/16<br>2X12-16'#2 SYP  PINE                 | 13 EA       | 22.94 | EA  | 298.22   |
| 29   | 4834CDX      | 13/16<br>23/32-4x8 CDX PLYWOOD SYP            | 6 EA        | 40.41 | EA  | 242.46   |
| 30   |              | <b>End of Roof &amp; Walls</b>                |             |       |     | 4,253.39 |
| 31   |              | <b>Cornice/Siding</b>                         |             |       |     |          |
| 32   | HHLD11212    | 1 X 12 X 12 HARDIE TRIM                       | 14 EA       | 60.71 | EA  | 849.94   |
| 33   | HHLD1612     | 1 X 6 X 12 HARDIE TRIM                        | 14 EA       | 26.10 | EA  | 365.40   |
| 34   | HS24S        | 24" HARDIE SMOOTH SOFFIT                      | 20 EA       | 27.25 | EA  | 545.00   |
| 35   | 2416WWP      | 2X4-16' PREMIUM SPF                           | 20 EA       | 9.70  | EA  | 194.00   |
| 36   | 1812CPS      | 20/16<br>1 X 8 X 12 SMOOTH HARDIE SIDING      | 4 EA        | 15.04 | EA  | 60.16    |
| 37   | HHLD11212    | 1 X 12 X 12 HARDIE TRIM                       | 3 EA        | 60.71 | EA  | 182.13   |
| 38   | HHLD11012    | 1 X 10 X 12 HARDIE TRIM                       | 3 EA        | 47.09 | EA  | 141.27   |
| 39   | HHLD1612     | 1 X 6 X 12 HARDIE TRIM                        | 5 EA        | 26.10 | EA  | 130.50   |
| 40   | HS48S        | 4 X 8 SMOOTH HARDIE                           | 3 EA        | 63.58 | EA  | 190.74   |
| 41   |              | <b>End of Cornice/Siding</b>                  |             |       |     | 2,659.14 |



**STILL LUMBER COMPANY, INC.**  
1515 Old Covington Rd NE  
Conyers, GA 30013 • 770-483-8022  
[www.stilllumber.com](http://www.stilllumber.com)

## Estimate

**Estimate No** 504100  
**Estimate Date** 06/11/2026  
**Expiration Date** 06/11/2026  
**Customer** 085000  
**Contact Name**  
**Contact Number**  
**Job**  
**Customer Ref** Newton County Water Sewer  
**Delivery** By 06/11/2026  
**Taken By** Caleb  
**Sales Rep** Joe

**Invoice Address**  
Sunbelt Builders Inc  
10641 HIGHWAY 36  
COVINGTON, GA, 30014-4073

**Delivery Address**  
Sunbelt Builders Inc  
10641 HIGHWAY 36  
COVINGTON, GA, 30014-4073



Page 3 of 3

We agree to furnish the items and grades specified above. This estimate is valid for seven days. Not guaranteed to build/complete any job or contract. Errors subject to correction.

**RETURN POLICY:** The sale invoice must accompany returns. A restock charge may apply. Special orders and items that are not in clean sellable condition may not be accepted. Return items purchased with a Credit/Debit card will only be credited to the original card used for purchase.

|                       |                    |
|-----------------------|--------------------|
| Total Amount          | \$11,619.10        |
| Sales Tax 7.00%       | \$813.37           |
| <b>Estimate Total</b> | <b>\$12,432.47</b> |

Buyer \_\_\_\_\_

Date \_\_\_\_\_

Subject to our terms and conditions of sale. Further copies available on request.



# Brand Vaughan

2310 S Stone Mountain Lithonia Road  
Lithonia, GA 30058  
(678)261-8227

# QUOTATION

Quote #: Q240466-X

Printed Date: 06/11/2026

**Customer:**  
Sunbelt

**Contact:**

**Job Site:**

Newton Co Water-Sewer Authority Additions  
11325 Brown Bridge Rd  
Covington GA, GA 30016

Salesperson:  
Monte Harris

Designer:  
Monte Harris

04/30/2024

Bid for Wood Trusses – Includes Deliveries to Jobsite

Verify Sales Tax Rate

( 80 x 3 loads )

\*\*\* QUOTE IS NOT PT or FIRE TREATED LUMBER TRUSSES \*\*\*

Bid does NOT include any bridging, bracing, 2X blocking, Truss to Bearing Anchors, LVL, PSL or Glu-Lam Beams unless Noted.

\*\*\* Bid does not include Temporary or Permanent Bracing – OR – the design of the Structures Permanent Bracing \*\*\*

Per TPI-1 as referenced in the building code:

The design and specifications of the permanent and temporary bracing is the responsibility of the building designer.

Architect: wendel Project: #616202 Date: 04-27-2026 100% Bid Set

Structural: PES Project: #616202 Date: 04-27-2026 100% Bid Set [not sealed]

Bid Reference: Plan A101 A102 A150 A350 A352

















S001 S002 S003 S006 S102 S601 S602 S611

per: Plans Submitted for Bid

\*\*\* Newton County Water & Sewer Authority - Administration Building Addition & Renovations \*\*\*

## WoodTruss



| Qty   | Span     | Description | Truss         | TC Pitch<br>BC Pitch | TC Size<br>BC Size | Heel-L<br>Heel-R | OH-L<br>OH-R | Cant-L<br>Cant-R |
|-------|----------|-------------|---------------|----------------------|--------------------|------------------|--------------|------------------|
| 3     | 08'08"00 | EJ1         | 24" O.C.      | 2.5                  |                    | 00'05"08         | 00'00"00     | 02'00"00         |
|       |          | 20-10-5-10  | 42 lbs. each  | 0                    |                    | 02'03"03         | 00'00"00     | 00'00"00         |
| 1     | 06'08"00 | EJ2         | 24" O.C.      | 2.5                  |                    | 00'10"08         | 00'00"00     | 00'00"00         |
|       |          | 20-10-5-10  | 36 lbs. each  | 0                    |                    | 02'03"03         | 00'00"00     | 00'00"00         |
| 1     | 06'08"00 | EJ3         | 24" O.C.      | 2.5                  |                    | 00'10"08         | 00'00"00     | 00'00"00         |
|       |          | 20-10-5-10  | 36 lbs. each  | 0                    |                    | 02'03"03         | 00'00"00     | 00'00"00         |
| 1     | 02'10"08 | FG          | 24" O.C.      | 0                    | 2x4                | 01'08"00         | 00'00"00     | 00'00"00         |
|       |          | 20-10-5-10  | 25 lbs. each  | 0                    | 2x6                | 01'08"00         | 00'00"00     | 00'00"00         |
| 1     | 19'08"13 | FHJ         | 24" O.C.      | 2.83                 |                    | 00'05"08         | 00'00"00     | 02'08"07         |
| 2-Ply |          | 20-10-5-10  | 238 lbs. each | 0                    |                    | 05'01"05         | 00'00"00     | 00'00"00         |
| 2     | 03'02"06 | FJ1         | 24" O.C.      | 4                    |                    | 00'05"08         | 00'00"00     | 02'00"00         |
|       |          | 20-10-5-10  | 14 lbs. each  | 0                    |                    | 01'06"05         | 00'00"00     | 00'00"00         |
| 2     | 05'02"06 | FJ2         | 24" O.C.      | 4                    |                    | 00'05"08         | 00'00"00     | 02'00"00         |
|       |          | 20-10-5-10  | 20 lbs. each  | 0                    |                    | 02'02"05         | 00'00"00     | 00'00"00         |
| 2     | 07'02"06 | FJ3         | 24" O.C.      | 4                    |                    | 00'05"08         | 00'00"00     | 02'00"00         |
|       |          | 20-10-5-10  | 25 lbs. each  | 0                    |                    | 02'10"05         | 00'00"00     | 00'00"00         |
| 2     | 09'02"06 | FJ4         | 24" O.C.      | 4                    |                    | 00'05"08         | 00'00"00     | 02'00"00         |
|       |          | 20-10-5-10  | 36 lbs. each  | 0                    |                    | 03'06"05         | 00'00"00     | 00'00"00         |
| 1     | 11'02"06 | FJ5         | 24" O.C.      | 4                    |                    | 00'05"08         | 00'00"00     | 02'00"00         |
|       |          | 20-10-5-10  | 64 lbs. each  | 0                    |                    | 04'02"05         | 00'00"00     | 00'00"00         |
| 1     | 13'02"06 | FJ6         | 24" O.C.      | 4                    |                    | 00'05"08         | 00'00"00     | 02'00"00         |
|       |          | 20-10-5-10  | 76 lbs. each  | 0                    |                    | 04'10"05         | 00'00"00     | 00'00"00         |
| 1     | 14'00"08 | FJ7         | 24" O.C.      | 4                    |                    | 00'05"08         | 00'00"00     | 02'00"00         |
|       |          | 20-10-5-10  | 81 lbs. each  | 0                    |                    | 05'01"11         | 00'00"00     | 00'00"00         |
| 1     | 08'01"06 | FJ8         | 24" O.C.      | 4                    |                    | 01'08"08         | 00'00"00     | 00'00"00         |
|       |          | 20-10-5-10  | 53 lbs. each  | 0                    |                    | 04'04"15         | 00'00"00     | 00'00"00         |
| 1     | 09'05"06 | FJ9         | 24" O.C.      | 4                    |                    | 01'08"08         | 00'00"00     | 00'00"00         |
|       |          | 20-10-5-10  | 64 lbs. each  | 0                    |                    | 04'10"05         | 00'00"00     | 00'00"00         |

| Qty   | Span     | Description                                    | Truss                                                                               | TC Pitch<br>BC Pitch | TC Size<br>BC Size | Heel-L<br>Heel-R     | OH-L<br>OH-R         | Cant-L<br>Cant-R     |
|-------|----------|------------------------------------------------|-------------------------------------------------------------------------------------|----------------------|--------------------|----------------------|----------------------|----------------------|
| 1     | 10'10"06 | FJG<br>24" O.C.<br>20-10-5-10<br>59 lbs. each  |    | 4<br>0               |                    | 00'05"08<br>04'00"15 | 00'00"00<br>00'00"00 | 02'00"00<br>00'00"00 |
| 1     | 12'01"09 | HJ1<br>24" O.C.<br>20-10-5-10<br>64 lbs. each  |    | 1.77<br>0            |                    | 00'05"08<br>02'02"15 | 00'00"00<br>00'00"00 | 02'09"03<br>00'00"00 |
| 2     | 02'06"15 | J1<br>24" O.C.<br>20-10-5-10<br>14 lbs. each   |    | 2.5<br>0             |                    | 00'05"08<br>00'11"15 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 2     | 04'06"15 | J2<br>24" O.C.<br>20-10-5-10<br>20 lbs. each   |    | 2.5<br>0             |                    | 00'05"08<br>01'04"15 | 00'00"00<br>00'00"00 | 02'00"00<br>00'00"00 |
| 2     | 06'06"15 | J3<br>24" O.C.<br>20-10-5-10<br>25 lbs. each   |    | 2.5<br>0             |                    | 00'05"08<br>01'09"15 | 00'00"00<br>00'00"00 | 02'00"00<br>00'00"00 |
| 4     | 24'09"04 | T<br>24" O.C.<br>20-10-5-10<br>129 lbs. each   |    | 2.5<br>0             |                    | 00'05"08<br>00'05"08 | 00'00"00<br>00'00"00 | 02'00"00<br>02'00"00 |
| 8     | 25'04"04 | T1<br>24" O.C.<br>20-10-5-10<br>137 lbs. each  |    | 2.5<br>0             |                    | 00'05"08<br>05'08"14 | 00'00"00<br>00'00"00 | 02'00"00<br>00'00"00 |
| 1     | 23'04"04 | T1A<br>24" O.C.<br>20-10-5-10<br>133 lbs. each |    | 2.5<br>0             |                    | 00'10"08<br>05'08"14 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 20'04"04 | T1B<br>24" O.C.<br>20-10-5-10<br>116 lbs. each |    | 2.5<br>0             |                    | 00'10"08<br>05'01"06 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 20'04"04 | T1C<br>24" O.C.<br>20-10-5-10<br>137 lbs. each |    | 0<br>0               |                    | 01'05"02<br>04'07"08 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 20'04"04 | T1D<br>24" O.C.<br>20-10-5-10<br>126 lbs. each |    | 0<br>0               |                    | 01'10"02<br>04'02"08 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 20'04"04 | T1E<br>24" O.C.<br>20-10-5-10<br>134 lbs. each |    | 0<br>0               |                    | 02'03"02<br>04'04"03 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 20'04"04 | T1F<br>24" O.C.<br>20-10-5-10<br>134 lbs. each |   | 0<br>0               |                    | 02'08"02<br>04'04"03 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 20'04"04 | T1G<br>24" O.C.<br>20-10-5-10<br>118 lbs. each |  | 0<br>0               |                    | 02'11"08<br>04'04"03 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 20'04"04 | T1H<br>24" O.C.<br>20-10-5-10<br>115 lbs. each |  | 0<br>0               |                    | 02'06"08<br>04'04"03 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 20'04"04 | T1I<br>24" O.C.<br>20-10-5-10<br>115 lbs. each |  | 0<br>0               |                    | 02'01"08<br>04'04"03 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 20'04"04 | T1J<br>24" O.C.<br>20-10-5-10<br>115 lbs. each |  | 0<br>0               |                    | 01'08"08<br>04'04"03 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 20'04"04 | T1K<br>24" O.C.<br>20-10-5-10<br>120 lbs. each |  | 0<br>0               |                    | 01'03"08<br>04'04"03 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 18'08"00 | T2G<br>24" O.C.<br>20-10-5-10<br>207 lbs. each |  | 2.5<br>0             |                    | 00'05"08<br>02'03"03 | 00'00"00<br>00'00"00 | 02'00"00<br>00'00"00 |
| 2-Ply | 18'08"00 | T3<br>24" O.C.<br>20-10-5-10<br>112 lbs. each  |  | 2.5<br>0             |                    | 00'05"08<br>02'08"03 | 00'00"00<br>00'00"00 | 02'00"00<br>00'00"00 |
| 1     | 18'08"00 | T4<br>24" O.C.<br>20-10-5-10<br>98 lbs. each   |  | 2.5<br>0             |                    | 00'05"08<br>03'01"03 | 00'00"00<br>00'00"00 | 02'00"00<br>00'00"00 |
| 1     | 18'08"00 | T5<br>24" O.C.<br>20-10-5-10<br>106 lbs. each  |  | 2.5<br>0             |                    | 00'05"08<br>03'06"03 | 00'00"00<br>00'00"00 | 02'00"00<br>00'00"00 |
| 1     | 18'08"00 | T6<br>24" O.C.<br>20-10-5-10<br>101 lbs. each  |  | 2.5<br>0             |                    | 00'05"08<br>03'11"03 | 00'00"00<br>00'00"00 | 02'00"00<br>00'00"00 |
| 5     | 18'08"00 | T7<br>24" O.C.<br>20-10-5-10<br>98 lbs. each   |  | 2.5<br>0             |                    | 00'05"08<br>04'04"03 | 00'00"00<br>00'00"00 | 02'00"00<br>00'00"00 |
| 7     | 21'08"00 | T8<br>24" O.C.<br>20-10-5-10<br>123 lbs. each  |  | 2.5<br>0             |                    | 00'05"08<br>04'11"11 | 00'00"00<br>00'00"00 | 02'00"00<br>00'00"00 |
| 2     | 16'08"00 | T9<br>24" O.C.<br>20-10-5-10<br>94 lbs. each   |  | 2.5<br>0             |                    | 00'10"08<br>04'04"03 | 00'00"00<br>00'00"00 | 00'00"00<br>00'00"00 |
| 1     | 24'09"04 | TG<br>24" O.C.<br>20-10-5-10<br>445 lbs. each  |  | 2.5<br>0             |                    | 00'05"08<br>00'05"08 | 00'00"00<br>00'00"00 | 02'00"00<br>02'00"00 |
| 1     | 24'09"04 | TGE<br>24" O.C.<br>20-10-5-10<br>123 lbs. each |  | 2.5<br>0             |                    | 00'05"08<br>00'05"08 | 00'00"00<br>00'00"00 | 02'00"00<br>02'00"00 |



Quote #: Q240466-X

## QUOTATION

| Qty | Span     | Description                                  | Truss                                                                             | TC Pitch<br>BC Pitch | TC Size<br>BC Size | Heel-L<br>Heel-R | OH-L<br>OH-R | Cant-L<br>Cant-R |
|-----|----------|----------------------------------------------|-----------------------------------------------------------------------------------|----------------------|--------------------|------------------|--------------|------------------|
| 9   | 01'10"08 | X1<br>24" O.C.<br>20-10-5-10<br>14 lbs. each |  | 0                    |                    | 01'01"08         | 00'00"00     | 00'00"00         |
| 1   | 01'06"08 | X2<br>24" O.C.<br>20-10-5-10<br>14 lbs. each |  | 0                    |                    | 01'01"08         | 00'00"00     | 00'00"00         |
| 37  | 01'10"08 | X3<br>24" O.C.<br>20-10-5-10<br>11 lbs. each |  | 0                    |                    | 00'10"08         | 00'00"00     | 00'00"00         |
| 1   | 01'09"00 | X4<br>24" O.C.<br>20-10-5-10<br>11 lbs. each |  | 0                    |                    | 00'10"08         | 00'00"00     | 00'00"00         |

## Hanger

| Qty | Description |
|-----|-------------|
| 4   | LUS24       |
| 13  | LUS26       |
| 2   | SUL26       |
| 3   | SUR26       |
| 1   | THJA26      |

|           |  |
|-----------|--|
| WoodTruss |  |
| Hanger    |  |

|                    |                   |
|--------------------|-------------------|
| Taxable            | \$8,932.00        |
| 7.0 - 7%           | \$625.24          |
| Non Taxable        | \$0.00            |
| <b>Grand Total</b> | <b>\$9,557.24</b> |

NOTICE: We warn that trusses can cause property damage or personal injury if improperly installed or braced. Customer's, or his agent's, acceptance hereof shall constitute his affirmative representation that he is fully trained in the proper methods of truss installation and bracing. Please refer to "Guide for Handling, Installing, Restraining & Bracing Trusses", BCSI-B1, published by SBCA and Truss Plate Institute, Inc. It is the customer's responsibility to provide access to the jobsite.

Quoted price valid for 30 days.

Accepted By: \_\_\_\_\_ P.O. #: \_\_\_\_\_

PLEASE READ ALL OF THE BID INFORMATION THAT I HAVE INCLUDED IN MY BID.  
If you have any questions or need clarification of any items – please call me, or email.

**NOTE:**

*Bid price includes deliveries to jobsite.*

**\*\*\* CURRENT BID PRICE IS GOOD FOR 30 DAYS \*\*\***

The Bid would have to be reviewed and updated after that date.

Order Approvals for this project can be processed and provided in approximately 5 days – after PO received.

Current QUICKEST Delivery Date is approximately 4 weeks - AFTER - the truss order Approvals are received as “APPROVED FOR PRODUCTION”.

**NOTE:**

Simpson Strongtie “Truss Anchors to Wall/Bearing Connections” (Tie Downs) are not included in the Truss Bid.

**UNLESS NOTED AS AN INCLUDED ITEM ON THE TRUSS BID INFORMATION.**

Truss Anchors would be a separate order and per your provided list to me with the Simpson Item Types & Quantities needed of each. Those would be shipped directly to you and not with the truss delivery.

**NOTE:**

**NO EWP PRODUCTS ARE QUOTED OR INCLUDED – [ UNLESS SPECIFICALLY LISTED AS AN INCLUDED JOB ITEM ].**

**NOTE:**

**Bid Does Not Include Temporary or Permanent Bracing – OR - the design of the Structures Permanent Bracing.**

**Per TPI-1 as referenced in the building code:**

**The design and specification of the permanent and temporary bracing is the responsibility of the building designer.**

**NOTE:**

**\*\*\* QUOTE IS NOT PT or FIRE TREATED LUMBER TRUSSES \*\*\***

**NOTE:**

**\*\*\* LUMBER FRAMING PACKAGE & MATERIALS PRICING CAN ALSO BE PROVIDED \*\*\***

**– per your lumber & materials TAKE-OFF provided for pricing.**

Thank you –



**Monte Harris**  
**Commercial Truss Sales & Design**

**CELL 251-776-3028**

**[Monte.Harris@bvlumber.com](mailto:Monte.Harris@bvlumber.com)**



**Brand Vaughan Lumber**

**[www.bvlumber.com](http://www.bvlumber.com)**

**Brand Vaughan Lumber – [Main Office]**

**3602 Lawrenceville Hwy**

**Tucker, GA 30084**

**Office 770-414-9876**

**[www.bvlumber.com](http://www.bvlumber.com)**

**10 locations**

**BVL Truss Office**

**2323 Murphy Blvd**


**Gainesville, GA 30504**

**Office 770-534-8164**


# \*\*\* Newton County Water & Sewer Authority \*\*\* Administration Building Addition & Renovations.

\*\*\* PRELIMINARY INFORMATION FOR BID REFERENCE ONLY \*\*\*

Architect: wendel Project: #616202 Date: 04-27-2026 100% Bid Set  
Structural: PES Project: #616202 Date: 04-27-2026 100% Bid Set [not sealed]  
Bid Reference: Plan A101 A102 A150 A350 A352  
S001 S002 S003 S006 S102 S601 S602 S611  
per: Plans Submitted for Bid  
\*\*\* Newton County Water & Sewer Authority - Administration Building Addition & Renovations \*\*\*



\*\*\* PRELIMINARY INFORMATION FOR BID REFERENCE ONLY \*\*\*  
NOT FINAL ORDER INFORMATION



\*\*\* ADDITION DIMENSIONS PER A101 \*\*\*  
VERIFY WITH FIELD DIMENSIONS  
BLOCKING TRUSS INCLUDED AT EXT WALLS

CONFIRM 4/12 PITCH  
2'-0" CANTILEVERED OH.  
5 1/2" FASCIA



Customer: Sunbelt  
Job: Newton Co Water-Sewer Aut  
Street: 11325 Brown Bridge Rd  
Covington GA  
Date: 06-11-2026  
Designer: Monte Harris

JOB NO:  
Q240466-X  
PAGE NO:  
1 OF 1

## Ryan Lewis

---

**From:** Monte Harris <Monte.Harris@bvlumber.com>  
**Sent:** Thursday, June 11, 2026 3:12 PM  
**To:** Ryan Lewis  
**Cc:** Estimating  
**Subject:** re: BVL Job#Q240466-X \_ Newton Co Water-Sewer Authority - Admin Building Additions & Renovations \_ UPDATED Wood Roof Truss Bid Information  
**Attachments:** Q240466-X Newton Co Water-Sewer Authority Additions Roof Truss Bid QT wLay.pdf

**re: BVL Job#Q240466-X \_ Newton Co Water-Sewer Authority - Admin Building Additions & Renovations \_ UPDATED Wood Roof Truss Bid Information**

Good afternoon, Ryan -

Wood Roof Truss Bid Information is attached.

**Plan reference:**

**Architect:** wendel    **Project:** #616202    **Date:** 04-27-2026 100% Bid Set  
**Structural:** PES    **Project:** #616202    **Date:** 04-27-2026 100% Bid Set [not sealed]  
**Bid Reference:** Plan A101 A102 A150 A350 A352  
                         S001 S002 S003 S006 S102 S601 S602 S611  
                         per: Plans Submitted for Bid

**\*\*\* Newton County Water & Sewer Authority - Administration Building Addition & Renovations \*\*\***

**PLEASE READ ALL OF THE BID INFORMATION THAT I HAVE INCLUDED ON MY BID.**  
If you have any questions or need clarification of any items – please call me, or email.

**NOTE:**

***Bid price includes deliveries to jobsite.***

**\*\*\* CURRENT BID PRICE IS GOOD FOR 30 DAYS \*\*\***

The Bid would have to be reviewed and updated after that date.

Order Approvals for this project can be processed and provided in approximately 5 days – after PO received.

Current QUICKEST Delivery Date is approximately 4 weeks - AFTER - the truss order Approvals are received as “APPROVED FOR PRODUCTION”.

**NOTE:**

Simpson Strongtie “Truss Anchors to Wall/Bearing Connections” (Tie Downs) are not included in the Truss Bid.  
UNLESS NOTED AS AN INCLUDED ITEM ON THE TRUSS BID INFORMATION.

**NOTE:**

NO EWP PRODUCTS ARE QUOTED OR INCLUDED – [ UNLESS SPECIFICALLY LISTED AS AN INCLUDED JOB ITEM ].

**NOTE:**

Bid Does Not Include Temporary or Permanent Bracing – OR - the design of the Structures Permanent Bracing.

Per TPI-1 as referenced in the building code:

The design and specification of the permanent and temporary bracing is the responsibility of the building designer.

**NOTE:**

**\*\*\* QUOTE IS NOT PT or FIRE TREATED LUMBER TRUSSES \*\*\***

**NOTE:**

**\*\*\* LUMBER FRAMING PACKAGE & MATERIALS PRICING CAN ALSO BE PROVIDED \*\*\***  
– per your lumber & materials take-off provided.

Thank you –



**Monte Harris**  
**Commercial Truss Sales & Design**

**CELL 251-776-3028**

**Monte.Harris@bvlumber.com**



**Brand Vaughan Lumber**  
**www.bvlumber.com**

**Brand Vaughan Lumber – [Main Office]**

**3602 Lawrenceville Hwy**

**Tucker, GA 30084**

**Office 770-414-9876**

**[www.bvlumber.com](http://www.bvlumber.com)**

**10 locations**

**BVL Truss Office**

**2323 Murphy Blvd**

**Gainesville, GA 30504**

**Office 770-534-8164**



5319 DIVIDEND DRIVE  
 DECATUR, GA 30035  
 OFFICE: 470-282-3870, FAX: 678-585-4883  
 estimate@dcourtscabinets.com  
 www.dcourtscabinets.com

# ESTIMATE

| DATE     | ESTIMATE # |
|----------|------------|
| 4/8/2026 | 1697R1     |

|                     |                                                                                              |
|---------------------|----------------------------------------------------------------------------------------------|
| NAME/ADDRESS:       | SHIP TO:                                                                                     |
| ESTIMATE DEPARTMENT | NEWTON COUNTY WATER AND SEWERAGE AUTHORITY<br>11325 BROWN BRIDGE ROAD<br>COVINGTON, GA 30016 |

| DWG. DATE | EST. REV DATE |
|-----------|---------------|
|           | 6/9/2026      |

| ELEV/NOT...        | DESCRIPTION                                                                                                                                                                                                                                                                    | U/M | QTY | TOTAL     |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----------|
|                    | MANUFACTORY & INSTALL<br>FIRST FLOOR                                                                                                                                                                                                                                           |     |     |           |
| 1/A101<br>1/A600   | LOBBY 101<br>11.17LF Solid Surface Countertop & Backsplash On 10LF Plastic Laminate Base Cabinets w/<br>Melamine Interior.                                                                                                                                                     |     | 1   | 6,159.50  |
| 2/A600             | 10LF Solid Surface Countertop & Backsplash On 10LF Plastic Laminate Base Cabinets w/<br>Melamine Interior.                                                                                                                                                                     |     | 1   | 5,735.00  |
| 1/A101<br>3/A600   | BREAK ROOM 139<br>14.75LF Plastic Laminate Wall Cabinets w/ Melamine Interior. 11.75LF Solid Surface<br>Countertop & Backsplash On 8LF Plastic Laminate Drawerstacks & Base Cabinets w/ Melamine<br>Interior. 3.5LF Plastic Laminate ADA Skirting & Sink Support Substructure. |     | 1   | 10,277.00 |
| 1/A101<br>1-3/A602 | BOARD ROOM 143<br>39.17LF Solid Surface "U" Shaped Transaction Counter x 12" Deep On Plastic Laminate Low<br>Wall. 39.17LF Solid Surface "U" Shaped Countertop On Plastic Laminate Support Panels.                                                                             |     | 1   | 27,095.50 |
|                    | SECOND FLOOR                                                                                                                                                                                                                                                                   |     |     |           |
| 1/A102<br>1/A603   | PRINTING AREA 246<br>8LF Plastic Laminate Wall Cabinets w/ Melamine Interior. 8.67LF Solid Surface Countertop &<br>Backsplash On 8LF Plastic Laminate Drawerstacks w/ Melamine Interior.                                                                                       |     | 1   | 8,930.00  |
| 2/A603             | 4.17LF Solid Surface Countertop & Backsplash On 4LF Plastic Laminate Drawerstacks w/<br>Melamine Interior.                                                                                                                                                                     |     | 1   | 3,647.50  |
|                    | SHOP DRAWINGS:                                                                                                                                                                                                                                                                 |     |     | 1,500.00  |
|                    | FREIGHT & INSTALLATION:                                                                                                                                                                                                                                                        |     |     | 15,575.00 |
|                    | EXCLUSIONS: Demo, Sinks, Fixtures, Soffits, Rubber Base, Slat Wall, Board Room Desk,<br>Signage, Standing & Running Trim, In-Wall Brackets & In-Wall Blocking are not Included in<br>Bid Proposal.                                                                             |     |     |           |
|                    | NOTES:                                                                                                                                                                                                                                                                         |     |     |           |

In order to expedite your order, we ask that you approve by signing below and return to us via  
 e-mail or fax

**TOTAL** \$78,919.50

STANDARD CABINET CONSTRUCTION (Unless Specifically Noted Above): MDF Carcass, White Melamine Interiors, Standard PLAM  
 Colors/Finish, 4" Chrome Wire Pulls, European-Style Hinges. Peg hole Shelves, Square-Edge Tops. Standard Wall-Hung Shelves (Unless  
 Specifically Noted Above): KV83 Metal Standards/Brackets.

DCourts Cabinets terms are 30 Days Net from date of Invoice. All work is guaranteed to be specified. All work to be completed in workman like  
 manner in accordance with standard practices. Any alteration or deviation from the above specifications involving extra costs will be executed  
 only upon written change order and will become extra charge over and above the estimate.

ACCEPTANCE OF PROPOSAL: THE ABOVE PRICES, SPECIFICATIONS AND CONDITIONS ARE SATISFACTORY AND HERBY ACCEPTED.

Sign \_\_\_\_\_ Print \_\_\_\_\_ Date \_\_\_\_\_

**Eddie Shirey  
Conyers, Ga.**

**June 16, 2026**

*Client:*  
**Sunbelt Builders, Inc.**  
**10641 Hwy 36**  
**Covington, Ga. 30014**

*Job:*  
**Newton Water Sewer Admin 100%**  
**0**  
**0**

*Contact:* **Garnett Long**  
*Mobile:* **(678) 371-2193**  
*Primary:* **770.786.3031**  
*Fax:* -  
**Glong@SunbeltBuilders.com**

**Based on: Brown & Caldwell. Wendel (100%)**

**No Date**

**We propose to provide the following:**

| Legend | Room              | Ext. Mat'l.                       | Int. Mat'l. | Panel Core     | Door Style    | Finish Ends    | CT Type                                  | LF base | LF C-Top   |
|--------|-------------------|-----------------------------------|-------------|----------------|---------------|----------------|------------------------------------------|---------|------------|
|        | Room #            | Ext. color                        | Int. color  | Panel Edge     | Dwr Fr. Style | Dwr slides     | CT color                                 | LF wall | LF Utility |
|        | Approx \$         | Description & comments            |             |                |               |                |                                          |         |            |
| Scope  | Lobby 101         | Plastic Laminate                  | Melamine    | Particle Board | Slab          | Smooth         | Acrylic Resin (Corian-Type CT)           | 22      | 22         |
|        | Display Cabinetry | per spec's                        | TBD         | PVC            | Slab          | Blum "Metabox" | per spec's                               | 0       | 0          |
|        | \$14,843          | 0                                 |             |                |               |                |                                          |         |            |
| Scope  | Lobby 101         | 0                                 | 0           | 0              | 0             | 0              | Acrylic Resin (Corian-Type CT)           | 0       | 5          |
|        | Reception Counter | 0                                 | 0           | 0              | 0             | 0              | per spec's                               | 0       | 0          |
|        | \$3,611           | 0                                 |             |                |               |                |                                          |         |            |
| Scope  | Exec Conf 140     | Plastic Laminate                  | Melamine    | Particle Board | Slab          | Smooth         | Acrylic Resin (Corian-Type CT)           | 12      | 12         |
|        | Casework          | per spec's                        | TBD         | PVC            | Slab          | Blum "Metabox" | per spec's                               | 0       | 0          |
|        | \$7,949           | Does NOT include accent slat wall |             |                |               |                |                                          |         |            |
| Scope  | Printing 246      | Plastic Laminate                  | Melamine    | Particle Board | Slab          | Smooth         | Acrylic Resin (Corian-Type CT)           | 13      | 13         |
|        | Casework          | per spec's                        | TBD         | PVC            | Slab          | Blum "Metabox" | per spec's                               | 9       | 0          |
|        | \$13,692          | 0                                 |             |                |               |                |                                          |         |            |
| Scope  | Board Room        | Plastic Laminate                  | Melamine    | Particle Board | Slab          | Smooth         | Acrylic Resin (Corian-Type CT) & Granite | 0       | 72         |
|        | 0                 | per spec's                        | TBD         | PVC            | Slab          | Blum "Metabox" | per spec's                               | 0       | 0          |
|        | \$32,772          | 0                                 |             |                |               |                |                                          |         |            |

|       |           |                                                                          |          |                |      |                |                                |    |    |
|-------|-----------|--------------------------------------------------------------------------|----------|----------------|------|----------------|--------------------------------|----|----|
| Scope | Breakroom | Plastic Laminate                                                         | Melamine | Particle Board | Slab | Smooth         | Acrylic Resin (Corian-Type CT) | 12 | 12 |
|       | 0         | per spec's                                                               | TBD      | PVC            | Slab | Blum "Metabox" | per spec's                     | 15 | 0  |
|       | \$14,599  | Base cabinets are 30" front to back. Wall cabinets are 13" front to back |          |                |      |                |                                |    |    |

**Total: \$87,467 Good for 30 days from date of this proposal**

Please feel free to call if this proposal needs clarification.

**The above pricing and conditions are satisfactory.  
This is authorization to proceed.**

Signature of

Buyer: \_\_\_\_\_

Date: \_\_\_\_\_

In your service,

*Eddie Shirey*

[eddieshirey@gmail.com](mailto:eddieshirey@gmail.com)

Work: (770) 365-0480

Cell: (770) 365-0480

Fax: (770) 483-9754



**Ayrsonics Southeast LLC**

15 Enterprise Way  
Dahlonega, GA 30533 US  
(256) 717-7096  
marketing.ase@ayrsonicsusa.com  
www.ayrsonics.com

# Ayrsonics

**EZO**  
B O R DDESIGN  
DRIVEN  
ACOUSTICS**Quiet Earth**  
MOSS**Quote**

|                  |                   |          |           |       |            |
|------------------|-------------------|----------|-----------|-------|------------|
| ADDRESS          | SHIP TO           | SHIP VIA | Dedicated | QUOTE | 1655       |
| Wendel Companies | Wendel Companies  |          |           | DATE  | 03/17/2026 |
|                  | Atlanta, GA 30328 |          |           |       |            |

|              |                |
|--------------|----------------|
| PROJECT NAME | SALES REP      |
| Balsa Wall   | Brantston Lacy |

|            | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | QTY | RATE     | AMOUNT    |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----------|
| BAL-CUSTOM | Product: Custom Balsa Slat Wall<br><br>Overall Wall Size: 6'-0" W x 10'-0"H<br><br>Balsa Slat Size: 2"W x 6"Deep<br>Slat Spacing: 4" Spacing between Slats<br>Slat Finish: 9mm, EzoPrint, Wood Print to coordinate with<br>Formica 8908 Storm Teakwood<br>Backer Panel: 9mm, Std, Domestic Color TBD by<br>Customer/Designer<br><br>No Hardware Included. Slats to be designed to be pressure fit<br>and to be screwed in place under removeable slat.                                                                                                                                                                                                                                                   | 2   | 3,996.40 | 7,992.80T |
| BAL-CUSTOM | Product: Custom Balsa Slat Wall<br><br>Overall Wall Size: 6'-0" W x 10'-0"H<br>Wall Qty: 2<br><br>Overall Ceiling Size: 6'-0"W x 24'-7"L (reduces the 6" slat from<br>each side wall)<br><br>Balsa Slat Size: 2"W x 6"Deep<br>Slat Spacing: 4" Spacing between Slats<br>Slat Finish: 9mm, EzoPrint, Wood Print to coordinate with<br>Formica 8908 Storm Teakwood<br>Backer Panel: 9mm, Std, Domestic Color TBD by<br>Customer/Designer<br><br>Ceiling Panels to be direct attached to Drywall Ceiling. Slats to<br>be designed to be pressure fit and to be screwed in place under<br>removeable slat.<br><br>Sales Tax and Shipping is an estimate and will be finalized at<br>time of order placement. | 1   | 9,292.27 | 9,292.27T |

I, the undersigned, representing the client, agree to the terms and conditions listed above and accept this quotation on their behalf.

Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Date: \_\_\_\_\_

If you have any questions regarding this order acknowledgment or require any additional information, feel free to contact our orders team.

If resale certificate is not provided sales tax will be applied.

To proceed with your order, please review the Terms and Conditions at [ezoBord.com](http://ezoBord.com) and [QuietEarthMoss.com](http://QuietEarthMoss.com) websites. Freight is estimated; actual costs of freight will be determined at the time of shipping. Freight rate is based upon direct shipment. LTL is available at a lower cost, however, delivery timeframe is not guaranteed and risk of damage increases.

Attach a copy of your approved quote with your Purchase Order and email [orders.ase@ayrsonicsusa.com](mailto:orders.ase@ayrsonicsusa.com)

|          |                    |
|----------|--------------------|
| SUBTOTAL | 17,285.07          |
| TAX      | 1,382.41           |
| SHIPPING | 552.50             |
| <hr/>    |                    |
| TOTAL    | <b>\$19,219.98</b> |

Accepted By

Accepted Date

I, the undersigned, representing the client, agree to the terms and conditions listed above and accept this quotation on their behalf.

Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Date: \_\_\_\_\_



# BALSA

RAW / PREMIUM



EZO  
BORD





## MEET Balsa

Balsa is a design-forward acoustical slatwall. Sporting woodgrain colors, Balsa can outfit entrance ways or act as a feature wall.


Balsa delivers sound absorption, as expected from all EzoBord products, but with a unique design that is sure to impress!




# SPECIFICATIONS

## BACKER DIMENSIONS

EZOBOARD 1/2" (12mm)



EZOBOARD 3/8" (9mm)



## SIDE FACE FINISH

### RAW

EzoBord side face






### PREMIUM

Woodgrain side face



## SLATS DIMENSION AND CONFIGURATIONS






# SPECIFICATIONS

## NOISE REDUCTION

### 3/4" 18mm

SOUND ABSORPTION COEFFICIENTS  
ASTM C423-17


| NRC  | SAA  | 125  | 250  | 500  | 1000 | 2000 | 4000 |
|------|------|------|------|------|------|------|------|
| 0.60 | 0.58 | 0.07 | 0.12 | 0.42 | 0.84 | 0.98 | 1.02 |



### 1" 24mm

SOUND ABSORPTION COEFFICIENTS  
ASTM C423-17

| NRC  | SAA  | 125  | 250  | 500  | 1000 | 2000 | 4000 |
|------|------|------|------|------|------|------|------|
| 0.70 | 0.71 | 0.07 | 0.20 | 0.63 | 0.98 | 1.07 | 1.10 |



## COMPOSITION

100% PET (min. 50% recycled content)

## PRODUCT VARIANCES

Variation in fiber mix and color may occur. All products will be supplied within commercial tolerances.

## FIRE TESTING

### NORTH AMERICA:

- ASTM E-84 Class A\*
- CAN ULC S102-10

Upon request, sheet material is treated with USA origin post-production flame retardant to Class A surface burning characteristics. Post sheet production FR treatment does not contain any Red List Restricted Chemicals and complies with California Proposition 65. Contact customer service for technical information, test data and safety data sheets for flame retardant

## ACOUSTICS

Refer to ASTM C423 test chart for specific absorption rates / frequency.

## CLEANING

Remove dust and dirt with gentle vacuuming (no brush) or light application of compressed air. Care should be taken not to rub or abrade the surface. Warm distilled water may be used to remove stains. If necessary, a color safe cleaning solution may be used. If using a cleaner be sure to test in an inconspicuous location first. Do not use bleach or solvent based cleaners.

## ENVIRONMENT

This product is made from 100% polyester fiber with minimum 50% recycled content and contributes to LEED MR Credit and BREEAM Health and Wellbeing Materials points due to recycled content, acoustic performance, and low VOC emitting materials. Other specifications include:

- Low VOC, CDPH v12 compliant
- Reach Compliant
- Declare - Red List Free
- Health Product Declaration
- Zero waste manufacturing initiative.

## USGBC LEED V4 CREDITS

While individual products do not 'earn' LEED credits, EzoBord can contribute to the following LEED v4 Credits. Please refer to the USGBC LEED credit guides for detailed requirements.

- EQ9 for enhancing acoustic performance
- MRC3 BPDO for sourcing of raw materials for recycled contribution
- EQc6 interior lighting for surface reflectance (lighter color options).



Declare.









# COLOR & FINISHES

## SLAT WOODGRAIN PRINTS EZOBORD 3/8" (9mm) OR 1/2" (12mm)

DARK OAK EZP-WGP-DO07



GREY OAK EZP-WGP-CO08



WENGE EZP-WGP-WE02



DESERT SAND DS10 BASE MATERIAL



CLASSIC WHITE CW04 BASE MATERIAL



DESERT SAND DS10 BASE MATERIAL



APPLE EZP-WGP-AP05



CHERRY MATE EZP-WGP-CM03



WALNUT EZP-WGP-WA01



DESERT SAND DS10 BASE MATERIAL



CLASSIC WHITE CW04 BASE MATERIAL



CLASSIC WHITE CW04 BASE MATERIAL



ASH EZP-WGP-AS06



YELLOW OAK EZP-WGP-YO09



MARMAR MAPLE EZP-WGP-MM04



CLASSIC WHITE CW04 BASE MATERIAL



CLASSIC WHITE CW04 BASE MATERIAL



CLASSIC WHITE CW04 BASE MATERIAL



BIRCH SAND EZP-WGP-BS10



DRIFTWOOD EZP-WGP-DW01



CLASSIC WHITE CW04 BASE MATERIAL



CLASSIC WHITE CW04 BASE MATERIAL



CLASSIC WHITE CW04 BASE MATERIAL



## BACKER:



EZOBORD 3/8" (9mm) OR 1/2" (12mm)

*Print finishes displayed are representative and actual color/finish may vary. Substrate selected may affect final print finish. (Consult your local Ezobord representative to confirm final appearance).*

PURE BLACK PB09





# ENVIRONMENT

## Our Commitment to the Environment

There are approximately 50 billion water bottles consumed around the world each year, and only about half of those get recycled. The rest end up in landfills, littered through our neighborhoods, or floating in our oceans.

Bottled water consumption has more than doubled since 2000; in 2015 there was the equivalent of more than 5 bottles of water consumed for every person in the USA every single week. This, of course, means that the amount of oil required to produce the energy used for the water bottling process continues to grow.

In 2007, the last year global statistics of oil consumption were available, between 32 million and 54 million barrels of oil were used to produce the bottled water that was consumed in the USA alone. This energy is used to make the bottles from PET pellets (1 million tons in the USA), treat water, bottle the water, label the bottles, and transport the bottled water. Most of the energy consumption occurs in the creation of the bottles themselves. To help in the lifecycle of this plastic product, we have chosen to manufacture our material so that it recycles these PET bottles. We are doing our part to reduce the waste. This acoustical and tackable material is made from PET bottles in a zero-waste process with postindustrial recycling. An environmentally friendly, sustainable, and waste reduced alternative to traditional acoustical/tackable material that looks great in any office, education, or open space installation.

## EzoBord is




- low VOC
- formaldehyde free

## DID YOU KNOW...



For every pound of recycled PET bottles (approximately 23) energy use is reduced by 84% and greenhouse gas emissions are reduced by 71%.

## PET BOTTLES



- ± 166 pet bottles are used to make one 3/8" 9mm thick EzoBord sheet.
- ± 318 pet bottles are used to make one 1/2" 12mm thick EzoBord sheet.



**CANADA**

---

**Ayrsonics Inc - Ontario**

825 Trillium Drive  
Kitchener, Ontario N2R 1J9  
844-441-1122  
sales@ayrsonics.com

**Ayrsonics Inc - Alberta**

292236 Nose Creek Boulevard  
Building 1B, Unit #19  
Rocky View County, AB T4A 3N7  
844-441-1122  
sales@ayrsonics.com

**EzoBord Corporate Office**

6845 Rexwood Road, Unit 7  
Mississauga, ON L4V 1S5  
416-665-3571  
info@ezobord.com

**UNITED STATES**

---

**Ayrsonics Midwest LLC**

820 Tollgate Road  
Elgin, IL 60123  
800-517-0686  
sales.amw@ayrsonicsusa.com

**Ayrsonics Southwest LLC**

13430 N Dysart Rd. Suite 120  
Surprise, AZ 85379  
213-833-9700  
sales.asw@ayrsonicsusa.com

**Ayrsonics Southeast LLC**

15 Enterprise Way  
Dahlonega, GA 30533  
706-539-4711  
sales.ase@ayrsonicsusa.com

**UNITED KINGDOM**

---

**EzoBord UK Limited**

Unit 20, Westwood Business Park  
Margate, Kent. CT9 4JJ  
+44 1843-264027  
sales@ezobord.co.uk

**IRELAND**

---

**EzoBord Ireland Limited**

Inniscarra, Main Street,  
Rathcoole, Co. Dublin,  
D24 EO29, Ireland  
+353 1485-4774  
sales@ezobord.ie

**CENTRAL & LATIN AMERICA**

---

**EzoBord Costa Rica SRL**

100 Sur 25 Oeste Recope  
Bodega #16 Ochomogo, Cartago  
+506 8842-4613  
info-ebcr@ezobord.com

**EzoBord - LATAM**

Buenos Aires, Argentina  
+54 9 11 5657-1793  
info-latam@ezobord.com