


SECOND FLOOR PLAN
 1/4" = 1'
 4,503 SQUARE FEET (GROSS)
 294'-9" PERIMETER
 4,392 SQUARE FEET (NET HEATED)




NOTES

1. GROSS SQUARE FOOTAGE IS MEASURED FROM OUTSIDE FACE OF BRICK VENEER.
2. NET (HEATED) SQUARE FOOTAGE IS MEASURED FROM THE INSIDE FACE OF EXTERIOR STUD WALL.
3. TILE IN ALL REST ROOMS TO EXTEND UP WALL TO 4'-0" AFF.
4. ALL DIMENSIONS ARE TAKEN FROM THE OUTSIDE FACE OF WOOD STUDS.
5. ALL 6" STUDS @ SECOND FLOOR SHALL EXTEND TO UNDERSIDE OF ROOF TRUSSES.

FIRE RATED WALL LEGEND

- 1 HOUR RATED WALL - 1 LAYER OF 5/8" GYP. EA. SIDE OF WALL.
- 2 HOUR RATED WALL - 2 LAYERS OF 5/8" GYP. EA. SIDE OF WALL.
- 4 HOUR RATED WALL - 8" CMU # 3 1/2" WOOD STUD WALL W/ 1/2" GYP. LDO. 1 SIDE (TYP. AT VAULT ONLY)
- BATT INSULATION IN WALL



DAA
 DAA Associates, Inc.
 ARCHITECTS
 10225 BROWN BRIDGE ROAD
 COWINGTON, GEORGIA 30006

PROJECT NAME
**A NEW OFFICE BUILDING FOR THE
 NEWTON COUNTY WATER & SEWER AUTHORITY**
 10225 BROWN BRIDGE ROAD
 COWINGTON, GEORGIA 30006

DRAWING NAME
SECOND FLOOR PLAN

PROJECT NO.	9708
CAD FILE NO.	NCWA
PLOT DATE	SEP. 16, 1991
DATE	SEP. 15, 1991
DRAWN BY	RPA
CHECKED BY	EHIS
SHEET NO.	A-2